



2021 CATALOG



CONTENTS

TEXTILES

Blackout

3PES.....	3
Cosmo.....	4
Darksouce.....	5
Essentials.....	6
Marula.....	7
Meridian.....	8
Palm Beach.....	9
Seada.....	10
Woodland.....	11

Screen

Senscreen 1% 3% 5%.....	12
-------------------------	----

Light Filtering

Hillcrest.....	13
Malibu.....	14
Palm Beach.....	15

Sheer

Gold Chic.....	16
Gold Roval.....	16
Ice.....	17
Ice Board.....	17

Zebra

Aria	18
Peninsula.....	19
Westin.....	20

COMPONENTS

Chain

Stainless Steel.....	21
Nickel Plated.....	21
Plastic.....	21

Connectors

Stainless Steel.....	21
Nickel Plated.....	21
Plastic.....	21

Stoppers


Nickel Plated.....	21
Plastic.....	21




3 P E S




Pebble 09



Pure White 08




Cotton 01



Almond 02



Sand 03



Pebble 09



Rock 04



Willow 05



Marine 07

3PES blackout features a two-tone pattern, creating depth and dimension. The backing was uniquely designed to match the color on the front of the shade, giving the outside view a more distinguished look or the ability to blend with the exterior color palette.

Product Type: Blackout

Applications: Roller Shades, Panel Blinds

Width: 110 inches

Roll Size: 110 inches x 30 yards (WxL)

Weave: Plain

Openness Factor: 0%

Composition: 100% Polyester with Acrylic Foam Backing

Thickness: 0.5 mm \pm 0.05 mm

Weight: 11.21 oz/yd² \pm 10%

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Subject to testing; results vary by equipment


Railroading: Not recommended; subject to testing

Warranty: 2 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Clean with warm water and mild soap. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

COSMO




Pewter



White



Alabaster



Mushroom



Pewter



Seal

Cosmo is a high-end plain weave blackout fabric suitable for commercial grade roller shades, roman shades and panel tracks.

Product Type: Blackout

Applications: Roller Shades, Roman Shades, Panel Blinds

Width: 118 inches

Roll Size: 118 inches x 30 yards (WxL)

Fire Retardant: NFPA 701-1989 Small Scale Test

Weave: Plain

Openness Factor: 0%

Composition: 100% Polyester with Acrylic Backing

Thickness: 0.68 mm

Weight: 12.39 oz/yd²

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes


Railroading: Not recommended; subject to testing

Warranty: 3 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Dust can be removed from the fabric by vacuum cleaning or soft duster. Light stains can be removed with a sponge and soapy water. Avoid using detergents, solvents as it may cause damage to the coating of the fabric.


DARKSOURCE




Fawn




White




Linen



Fawn



Champagne



Grey



Black

Darksources is a classic vinyl blackout. Easiest to clean and maintain. A vinyl blackout composed of fiberglass and PVC.

Product Type: Vinyl Blackout

Applications: Roller Shades, Panel Blinds

Widths: 72 inches for All Colors; 100 inches for White, Linen, Fawn, Champagne, Grey; 118 inches for White, Grey, Black

Roll Sizes (WxL): 72 inches x 30 yards, 100 inches x 30 yards, 118" x 30 yards

Fire Retardant: NFPA 701-2010 Small Scale Test

Weave: Plain

Openness Factor: 0%

Composition: PVC Laminated Fiberglass

Thickness: 0.35 mm \pm 0.01

Weight: 13.27 oz/yd² \pm 0.35 oz

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: No


Railroading: Not recommended; subject to testing

Warranty: 5 years


Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Clean with warm water. Material can be washed on both sides with mild 5% detergent solution.

ESSENTIALS



Dune




Ice




Spirit




Loft




Dune



Shadow



Odyssey



Midnight

Essentials is a 100% blackout that comes in a sophisticated color range. This fabric provides maximum privacy and light blocking. It is PVC free and also very easy to clean.

Product Type: Blackout

Applications: Roller Shades, Panel Blinds

Width: 118 inches

Roll Size: 118 inches x 30 yards (WxL)

Fire Retardant: NFPA 701-1989 Small Scale Test

Weave: Plain

Openness Factor: 0%

Composition: 100% Polyester with Acrylic Backing

Thickness: 0.33 mm

Weight: 11.8 oz/yd²

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes

Railroading: Not recommended; subject to testing

Warranty: 5 years


Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the blind down until completely dry.

MARULA



Truffle



White




Eggshell



Sourdough



Pepper



Truffle

new

Marula blackout is a striking jacquard design suitable for roller, roman, and panel blinds. Soft to touch flock coating provides effective light, heat, and UV control.

Product Type: Blackout

Applications: Roller Shades, Roman Shades, Panel Blinds

Width: 94 inches

Roll Size: 94 inches x 22 yards (WxL)

Weave: Jacquard

Openness Factor: 0%

Composition: 100% Polyester with Acrylic Foam Backing

Thickness: 0.65 mm

Weight: 11.5 oz/yd²

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes


Railroading: Not recommended; subject to testing

Warranty: 2 years


Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Clean with warm water and mild soap. Rinse with clean water. Leave the blind down until completely dry. You can also gently rub the fabric with a clean white pencil eraser to remove small stains.

MERIDIAN



Ash 08




Frost 01




Porcelain 02




Driftwood 03




Kettle 04




Ash 08



London Fog 05



Doe 06



Obsidian 07

Meridian is simple yet sophisticated; the color palette complements a broad spectrum of modern décor and interior spaces. This fabric is a blackout and provides complete privacy.

Product Type: Blackout

Applications: Roller Shades, Panel Blinds

Width: 118 inches

Roll Size: 118 inches x 30 yards (WxL)

Fire Retardant: NFPA 701-1989 Small Scale Test

Weave: Plain

Openness Factor: 0%

Composition: 100% Polyester with Acrylic Backing

Thickness: 0.5 mm \pm 0.05 mm

Weight: 12.39 oz/yd² \pm 5%

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes

Railroading: Not recommended; subject to testing


Warranty: 5 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.


Care & Cleaning Instructions: Dust can be removed from the fabric by vacuum cleaning or soft duster. Light stains can be removed with a sponge and soapy water. Avoid using detergents, solvents as it may cause damage to the coating of the fabric.

PALM BEACH

SHAW




Merino 04




Quill 01



Lyric 02



Gull 03



Merino 04




Porpoise 05



Iron 06



Summer Storm 07



Quartz 08

Palm Beach blackout is a plain weave fabric suitable for Roller, Roman, and Panel Blinds. The soft to touch blackout foam coating provides effective light, heat and UV control. Light filtering option is also available.

Product Type: Blackout

Applications: Roller Shades, Roman Shades, Panel Blinds

Width: 118 inches

Roll Size: 118 inches x 22 yards (WxL)

Weave: Plain

Openness Factor: 0%

Composition: 100% Polyester with Foamed Acrylic Backing

Thickness: 0.65 mm

Weight: 12.09 oz/yd²

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes

Railroading: Not recommended; subject to testing

Warranty: 2 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Surface dust should be removed with duster or soft cloth. Never use abrasive products or solvents/industrial based cleaners.


SEADA



Brown 04



Ivory 01



Beige 02



Khaki 03



Brown 04



Charcoal 05

Seada blackout fabric presents a metallic sheen and a luxurious look with five distinctive colors. This blackout is designed to minimize solar heat gain and eliminate glare in any settings.

Product Type: Blackout

Applications: Roller Shades, Roman Shades, Panel Blinds

Width: 108 inches

Roll Size: 108 inches x 32.8 yards (WxL)

Fire Retardant: NFPA 701-2010 Small Scale Test

Weave: Dobby

Openness Factor: 0%

Composition: 100% Polyester with Acrylic Foam Backing

Thickness: 0.266 mm

Weight: 9.44 oz/yd²

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes

Railroading: Not recommended; subject to testing

Warranty: 2 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Remove dust with vacuum cleaner or compressed air.

WOODLAND



Gazelle



Swan




Urchin




Baffin




Gazelle



Errol



Lynx



Formosa

Woven with a rich texture, multi-tone color and denser weave, Woodland blackout offers a casual, relaxed appeal and offers complete privacy and sun protection in any given room.

Product Type: Blackout

Applications: Roller Shades, Panel Blinds

Width: 118 inches

Roll Size: 118 inches x 30 yards (WxL)

Fire Retardant: NFPA 701 Small Scale Test

Weave: Jacquard

Openness Factor: 0%

Composition: 100% Polyester with Acrylic Backing

Thickness: 0.65 mm \pm 0.06 mm

Weight: 11.8 \pm 0.88 oz/yd²

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes

Railroading: Not recommended; subject to testing

Warranty: 5 years


Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Clean with warm water and mild soap. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

SENSCREEN | 1% 3% 5%




White+Grey 2003




White 2073




White+Beige 2002



White+Grey 2003



Beige+Grey 2005



Grey 2006



Black+Grey 2007



Black+Copper 2008A



Black 2009

Our Senscreen fabrics provide a comfortable, energy efficient environment that blocks up to 95% of UV rays while maintaining natural sunlight and allowing an outdoor view. The perfect and simple solution for controlling heat and glare in any given room.

Product Type: 1%, 3%, 5% Screen

Applications: Roller Shades, Panel Blinds

Width: 118 inches

Roll Size: 118 inches x 30 yards (WxL)

Fire Retardant: NFPA 701-2010 Small Scale Test

Weave: 2x2 Basket weave

Openness Factor: 1%, 3%, or 5%

Composition: 30% Polyester / 70% PVC

Thickness: 1% openness - 0.67 mm \pm 5%, 3% openness - 0.59 mm \pm 5%, 5% openness - 0.53 mm \pm 5%

Weight: 1% openness - 14.16 oz/yd² \pm 5%, 3% openness - 13.57 oz/yd² \pm 5%, 5% openness - 12.68 oz/yd² \pm 5%

Cutting: Ultrasonic recommended, Crush, Rotary Blade

Welding/Bonding Tape: No

Railroading: Subject to testing

Warranty: 5 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Dust can be removed from the fabric by vacuum cleaning or soft duster. Light stains can be removed by gently wiping with a damp cloth or sponge. Do not use detergents, solvents, or scrub against the fabric because it will damage the coating of the fabric. Allow fabric to air dry completely before rolling it back up.

HILLCREST



Cypress




Magnolia 01




Cypress 02



Acacia 03



Greystone 04



Ember 05

Hillcrest fabrics perfectly pair a natural, textured design with the modern, clean look of a roller shade. Gently diffuse light with our neutral, multi-toned palette.

Product Type: Light Filtering

Applications: Roller Shades, Panel Blinds

Width: 110 inches

Roll Size: 110 inches x 30 yards (WxL)

Fire Retardant: NFPA 701-2019 Small Scale Test

Weave: Jacquard

Composition: 100% Polyester with Acrylic Coating

Thickness: 0.58 mm \pm 5%

Weight: 5.75 oz/yd² \pm 5%

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes

Railroading: Subject to testing

Warranty: 2 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Dust with a dry cloth or wipe with damp cloth. Vacuum cleaning is recommended. Do not use solvents to clean the shade.

MALIBU



Cliffside 04



Whitewater 01



Coastline 02



Loftyhill 03



Cliffside 04



Bayshore 05

Malibu is a modern, woven polyester fabric with a soft, subtle texture that gently welcomes light.

Product Type: Light Filtering

Applications: Roller Shades, Panel Blinds

Width: 110 inches

Roll Size: 110 inches x 50 yards (WxL)

Fire Retardant: NFPA 701 Small Scale Test

Weave: Jacquard

Composition: 100% Polyester

Thickness: 0.54 mm \pm 15%

Weight: 6.19 oz/yd² \pm 10%

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes

Railroading: Subject to testing


Warranty: 3 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.


Care & Cleaning Instructions: Fabric should be regularly dusted/vacuumed as appropriate. If commercial spot cleaners are used, they must be first tested and allowed to dry on an inconspicuous area, to ensure compatibility.

PALM BEACH


SHAW




Pearl 11



Melody 09




Horizon 10




Pearl 11



Monsoon 12



Steel 13



Ink 14

Palm Beach light filtering is a plain weave fabric suitable for Roller, Roman, and Panel Blinds. Light-filtering quality provides decorative light control with day and night time privacy. Blackout option is also available.

Product Type: Light Filtering

Applications: Roller Shades, Roman Shades, Panel Blinds

Width: 118 inches

Roll Size: 118 inches x 22 yards (WxL)

Weave: Plain

Composition: 100% Polyester with Acrylic Coating

Thickness: 0.55 mm

Weight: 9.14 oz/yd²

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes


Railroading: Subject to testing

Warranty: 2 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Surface dust should be removed with duster or soft cloth. Never use abrasive products or solvents/industrial based cleaners.

GOLD CHIC & GOLD ROYAL



Natural GC03




White GC02



Natural GC03



Moss GC01



Sterling GR02

Gold Chic and Gold Royal are part of our Sheer line of roller shade fabrics. These patterns gently filter light, making it the best choice for many hospitality and commercial projects.

Product Type: Sheer

Applications: Roller Shades, Roman Shades, Panel Blinds

Width: 110 inches

Roll Size: 110 inches x 54 yards (WxL)

Fire Retardant: NFPA 701-2010 Small Scale Test

Weave: Dobby

Composition: 100% Polyester

Thickness: 0.19 mm

Weight: 3.21 oz/yd²

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes


Railroading: Subject to testing

Warranty: 2 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Clean with warm water and mild soap. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

ICE



White I03

ICE BOARD



White IB03

Ice and Ice Board are part of our Sheer line of roller shade fabrics. These patterns gently filter light, making it the best choice for many hospitality and commercial projects.

Product Type: Sheer

Applications: Roller Shades, Roman Shades, Panel Blinds

Widths: 94 inches, 110 inches

Roll Sizes: 94 inches x 54 yards, 110 inches x 54 yards (WxL)

Fire Retardant: NFPA 701-2019 Small Scale Test

Weave: Knit

Openness Factor: >20%

Composition: 100% Polyester

Thickness: 0.34 mm

Weight: 3.63 oz/yd²

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes

Railroading: Subject to testing

Warranty: 2 years

Applications: Roller Shades, Roman Shades, Panel Blinds

Width: 94 inches

Roll Size: 94 inches x 54 yards (WxL)

Fire Retardant: NFPA 701-2019 Small Scale Test

Weave: Knit

Openness Factor: >20%

Composition: 100% Polyester

Thickness: 0.39 mm

Weight: 4.22 oz/yd²

Cutting: Ultrasonic, Crush, Cold

Welding/Bonding Tape: Yes

Railroading: Subject to testing

Warranty: 2 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Clean with warm water and mild soap. Rinse with clean water. Leave the blind down until completely dry.

Care & Cleaning Instructions: Clean with warm water and mild soap. Rinse with clean water. Leave the blind down until completely dry.

ARIA



Brown 03



Ivory 01



Beige 02



Brown 03



Charcoal 04

Our Zebra fabrics control sunlight by raising or lowering the shade. By transforming the best features of a hard window covering, zebra fabrics are a new and modern look in soft window covering options and provide limitless options for privacy and light control.

Product Type: Zebra

Applications: Zebra Shades

Width: 108 inches

Roll Size: 108 inches x 54 yards (WxL)

Weave: Dobby

Band/Sheer Size: 3" Band, 2" Sheer

Composition: 100% Polyester

Thickness: 0.34 mm

Weight: 2.06 oz/yd²

Cutting: Crush, Cold

Welding/Bonding Tape: Yes

Railroading: No

Warranty: 2 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Feather dusting or gentle vacuuming.

PENINSULA



White 01



Mushroom 02



Chocolate 03



Charcoal 04

Mushroom 02

Our Zebra fabrics control sunlight by raising or lowering the shade. By transforming the best features of a hard window covering, zebra fabrics are a new and modern look in soft window covering options and provide limitless options for privacy and light control.

Product Type: Zebra

Applications: Zebra Shades

Width: 108 inches

Roll Size: 108 inches x 54 yards (WxL)

Weave: Dobby

Band/Sheer Size: 4" Band, 3" Sheer

Composition: 100% Polyester

Thickness: 0.19 mm

Weight: 4.13 oz/yd²

Cutting: Crush, Cold

Welding/Bonding Tape: Yes


Railroading: No

Warranty: 2 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Feather dusting or gentle vacuuming.

WESTIN



White 01



Mushroom 02



Brown 03



Chocolate 04

Brown 03

Our Zebra fabrics control sunlight by raising or lowering the shade. By transforming the best features of a hard window covering, zebra fabrics are a new and modern look in soft window covering options and provide limitless options for privacy and light control.

Product Type: Zebra

Applications: Zebra Shades

Width: 110 inches

Roll Size: 110 inches x 33 yards (WxL)

Weave: Dobby

Band/Sheer Size: 3" Band, 2" Sheer

Composition: 100% Polyester

Thickness: 0.55 mm

Weight: 3.01 oz/yd²

Cutting: Crush, Cold

Welding/Bonding Tape: Yes

Railroading: No

Warranty: 2 years

Color variances may occur between fabric production batches. These variances are within industry tolerances, kindly check fabric prior to cutting.

Care & Cleaning Instructions: Feather dusting or gentle vacuuming.

COMPONENTS



METAL CHAIN

Compositions: Stainless Steel or Nickel Plated

Pitch Sizes: 50-51, or 48-49 for SS only

Ball: #10

Roll Length: 500'

Chain Loop Sizes: 2', 3', 4', 5', 6'

Pack Size: 4 rolls/box

Pack Size: 25 pcs

**Chain Loop for Stainless Steel only*



CONNECTORS

Compositions: Stainless Steel or Nickel Plated

Compatible with: 50-51 or 48-49

Ball: #10

Pack Size: 1,000 pcs




STOPPERS

Composition: Nickel Plated

Compatible with: 50-51 or 48-49

Ball: #10

Pack Size: 1,000 pcs



PLASTIC CHAIN

Composition: Plastic

Colors: White, Vanilla, Oak, Jute, Grey, Chocolate, Black

Pitch Size: 6mm (50-51)

Ball: #10

Roll Length: 250 M

Chain Loop Sizes: 2', 3', 4', 5', 6'

Pack Size: 1 roll/box

Pack Size: 25 pcs

**Chain Loop for White and Vanilla only*



CONNECTORS

Composition: Plastic

Colors: White, Vanilla, Oak, Jute, Grey, Chocolate, Black

Pitch Size: 6mm (50-51)

Ball: #10

Pack Size: 500 pairs



STOPPERS

Composition: Plastic

Color: Clear

Pitch Size: 6mm (50-51)

Ball: #10

Pack Size: 500 pcs